

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015). Revision Date: 03/12/2022 Date of Issue: 05/29/2015 Supersedes Date: 06/14/2021 Version: 3.1

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Soil

Synonyms:

This SDS covers many types of soil. Individual composition of hazardous constituents will vary between soil types.

1.2. Intended Use of the Product

Soil is used for landscaping, domestic gardening, reclamation and other construction applications. Soil is distributed in bags, totes, and bulk shipment.

1.3. Name, Address, and Telephone of the Responsible Party

Company Holcim US 8700 West Bryn Mawr Avenue, Suite 300 Chicago, IL 60631 Information: (888) 646-5246 (9am to 5pm CST) Email: <u>us-sds-Inquiries@holcim.com</u> Website: <u>holcim.us</u>

1.4. Emergency Telephone Number

Emergency Number : ChemTel LLC

1-800-255-3924 (US and Canada)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Not classified

2.2. Label Elements

GHS-US/CA Labeling

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

2.3. Other Hazards

This product contains crystalline silica, which naturally varies depending on the composition of the soil. Clay, decomposed matter, and moisture likely prevent crystalline silica from becoming respirable. If crystalline silica dust is released into the air, repeated exposure to dust may cause lung damage in the form of silicosis, lung cancer, or respiratory irritation. Symptoms will include progressively more difficult breathing, cough, fever, and weight loss. Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2.	Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Soil	Dirt / Earth / Loam / Topsoil	Not applicable	>99	Not classified
Quartz	Quartz (SiO2) / Silica, crystalline, quartz / Crystalline silica, quartz / .alphaQuartz / Silica, crystalline, .alphaquartz / Crystalline silica in the form of quartz / Quartz, silica / Quartz (respirable fraction) / Silica dust / Silica, crystallinealpha.quartz / Silica, quartz / Silica, .alphaquartz / Silicon dioxide / Silica, crystalline / Quartz (crystalline silica) / Silica dust, crystalline / QUARTZ POWDER / Silica, crystalline (quartz)	(CAS-No.) 14808-60-7	<1	Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372

Full text of H-phrases: see section 16

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Gently wash with plenty of soap and water. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. If you feel unwell, seek medical advice.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation. Some studies show that exposure to respirable crystalline silica (without silicosis) or that the disease silicosis may be associated with the increased incidence of several autoimmune disorders such as scleroderma (thickening of the skin), systemic lupus erythematosus, rheumatoid arthritis and diseases affecting the kidneys. Silicosis increases the risk of tuberculosis. Some studies show an increased incidence of chronic kidney disease and end-stage renal disease in workers exposed to respirable crystalline silica.

Skin Contact: Direct contact may cause irritation by mechanical abrasion.

Eye Contact: Contact may cause irritation due to mechanical abrasion.

Ingestion: Ingestion of large quantities may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding type of fire.

Unsuitable Extinguishing Media: None.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Silicon oxides.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid creating dusty conditions whenever feasible. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Not required for normal conditions of use. Use appropriate personal protective equipment (PPE).

Emergency Procedures: Collect as any solid. Do not breathe dust.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

None.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: This product contains crystalline silica, which naturally varies depending on the composition of the soil. Clay, decomposed matter, and moisture likely prevent crystalline silica from becoming respirable. If crystalline silica dust is released into the air, repeated exposure to dust may cause lung damage in the form of silicosis, lung cancer, or respiratory irritation. Symptoms will include progressively more difficult breathing, cough, fever, and weight loss.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place.

Incompatible Materials: None known.

7.3. Specific End Use(s)

Soil is used for landscaping, domestic gardening, reclamation and other construction applications. Soil is distributed in bags, totes, and bulk shipment.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Quartz (14808-60-7)			
USA ACGIH	ACGIH OEL TWA	0.025 mg/m ³ (respirable particulate matter)	
USA ACGIH	ACGIH chemical category	A2 - Suspected Human Carcinogen	
USA OSHA	OSHA PEL TWA	50 μg/m ³ (Respirable crystalline silica)	
USA OSHA	OSHA PEL TWA	(250)/(%SiO ₂ +5) mppcf TWA (respirable fraction)	
		(10)/(%SiO ₂ +2) mg/m ³ TWA (respirable fraction)	
		(For any operations or sectors for which the respirable crystalline silica	
		standard, 1910.1053, is stayed or otherwise not in effect, See 20 CFR	
		1910.1000 TABLE Z-3)	
USA NIOSH	NIOSH REL TWA	0.05 mg/m ³ (respirable dust)	
USA IDLH	IDLH	50 mg/m ³ (respirable dust)	
Alberta	OEL TWA	0.025 mg/m ³ (respirable particulate)	
British Columbia	OEL TWA	0.025 mg/m ³ (respirable)	
Manitoba	OEL TWA	0.025 mg/m ³ (respirable particulate matter)	
New Brunswick	OEL TWA	0.1 mg/m ³ (respirable fraction)	
Newfoundland & Labrador	OEL TWA	0.025 mg/m ³ (respirable particulate matter)	
Nova Scotia	OEL TWA	0.025 mg/m ³ (respirable particulate matter)	
Nunavut	OEL TWA	0.05 mg/m ³ (respirable fraction (Silica - crystalline)	
Northwest Territories	OEL TWA	0.05 mg/m ³ (respirable fraction (Silica - crystalline)	
Ontario	OEL TWA	0.1 mg/m ³ (designated substances regulation-respirable fraction (Silica,	

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

		crystalline)	
Prince Edward Island	OEL TWA	0.025 mg/m ³ (respirable particulate matter)	
Québec	VEMP OEL TWA	0.1 mg/m ³ (respirable dust)	
	-	0.05 mg/m ³ (respirable fraction (Silica - crystalline (Trydimite removed))	
Saskatchewan Yukon	OEL TWA		
	OEL TWA	300 particle/mL (Silica - Quartz, crystalline)	
Particulates not otherwise c			
USA ACGIH	ACGIH OEL TWA	3 mg/m ³ Respirable fraction	
		10 mg/m ³ Total Dust	
USA OSHA	OSHA PEL TWA	5 mg/m ³ Respirable fraction	
		15 mg/m ³ Total Dust	
USA OSHA	OSHA PEL TWA	15 mppcf (respirable fraction)	
		50 mppcf (total dust)	
		See 29 CFR 1910.1000 Table Z-3	
Alberta	OEL TWA	10 mg/m^3 (total)	
Pritick Columbia		3 mg/m ³ (respirable)	
British Columbia	OEL TWA	10 mg/m ³ (including nuisance dusts-total dust)	
		3 mg/m ³ (including nuisance dusts-respirable fraction)	
Manitoba	OEL TWA	10 mg/m ³ (inhalable particles, recommended)	
New Brunswick		3 mg/m ³ (respirable particles, recommended)	
New Brunswick	OEL TWA	3 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica, respirable fraction)	
		10 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline	
		silica, inhalable fraction)	
Newfoundland & Labrador	OEL TWA	10 mg/m ³ (inhalable particles, recommended)	
		3 mg/m^3 (respirable particles, recommended)	
Nova Scotia	OEL TWA	10 mg/m ³ (inhalable particles, recommended)	
		3 mg/m ³ (respirable particles, recommended)	
Nunavut	OEL STEL	20 mg/m ³ (insoluble or poorly soluble-inhalable fraction)	
	0120122	6 mg/m ³ (insoluble or poorly soluble-respirable fraction)	
Nunavut	OEL TWA	10 mg/m ³ (insoluble or poorly soluble-inhalable fraction)	
		3 mg/m ³ (insoluble or poorly soluble-respirable fraction)	
Northwest Territories	OEL STEL	20 mg/m ³ (insoluble or poorly soluble-inhalable fraction)	
		6 mg/m ³ (insoluble or poorly soluble-respirable fraction)	
Northwest Territories	OEL TWA	10 mg/m ³ (insoluble or poorly soluble-inhalable fraction)	
		3 mg/m ³ (insoluble or poorly soluble-respirable fraction)	
Ontario	OEL TWA	10 mg/m ³ (inhalable fraction)	
		3 mg/m ³ (respirable fraction)	
Prince Edward Island	OEL TWA	10 mg/m ³ (inhalable particles, recommended)	
		3 mg/m ³ (respirable particles, recommended)	
Québec	VEMP OEL TWA	10 mg/m ³ (including dust, inert or nuisance particulates-total dust)	
Saskatchewan	OEL STEL	20 mg/m ³ (insoluble or poorly soluble-inhalable fraction)	
		6 mg/m ³ (insoluble or poorly soluble-respirable fraction)	
Saskatchewan	OEL TWA	10 mg/m ³ (insoluble or poorly soluble-inhalable fraction)	
		3 mg/m ³ (insoluble or poorly soluble-respirable fraction)	

8.2. Exposure Controls

Appropriate Engineering Controls: Not generally required. Site-specific risk assessments should be conducted to determine the appropriate exposure control measures. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Suitable eye/body wash equipment should be available in the vicinity of any potential exposure.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Personal Protective Equipment: Not generally required. The use of personal protective equipment may be necessary as conditions warrant. Safety glasses. Gloves. Dust formation: dust mask.



Materials for Protective Clothing: Wear suitable protective clothing.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Che		
Physical State	:	Solid
Appearance	:	Not available
Odor	:	Not available
Odor Threshold	:	Not available
рН	:	Not available
Evaporation Rate	:	Not available
Melting Point	:	Not available
Freezing Point	:	Not available
Boiling Point	:	Not available
Flash Point	:	Not available
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	Not available
Upper Flammable Limit	:	Not available
Vapor Pressure	:	Not available
Relative Vapor Density at 20°C	:	Not available
Relative Density	:	Not available
Specific Gravity	:	Not available
Solubility	:	Not available
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

- 10.4. Conditions to Avoid: Excessive moisture. Generation of airborne dust.
- 10.5. Incompatible Materials: None known.

10.6. Hazardous Decomposition Products: Thermal decomposition may produce: Carbon oxides (CO, CO₂). Silicon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified Acute Toxicity (Dermal): Not classified Acute Toxicity (Inhalation): Not classified LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Not classified

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Some studies show that exposure to respirable crystalline silica (without silicosis) or that the disease silicosis may be associated with the increased incidence of several autoimmune disorders such as scleroderma (thickening of the skin), systemic lupus erythematosus, rheumatoid arthritis and diseases affecting the kidneys. Silicosis increases the risk of tuberculosis. Some studies show an increased incidence of chronic kidney disease and end-stage renal disease in workers exposed to respirable crystalline silica.

Symptoms/Injuries After Skin Contact: Direct contact may cause irritation by mechanical abrasion.

Symptoms/Injuries After Eye Contact: Contact may cause irritation due to mechanical abrasion.

Symptoms/Injuries After Ingestion: Ingestion of large quantities may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Quartz (14808-60-7)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 5000 mg/kg
Quartz (14808-60-7)	
IARC Group	1
National Toxicology Program (NTP) Status	Known Human Carcinogens.
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Not classified.

12.2. Persistence and Degradability Soil Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Soil Bioaccumulative Potential Not established.

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects Not available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport
- **14.4.** In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Quartz (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

15.2. **US State Regulations California Proposition 65** WARNING: This product can expose you to Quartz, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. Chemical Name (CAS No.) Carcinogenicity Developmental **Female Reproductive** Male Reproductive Toxicity Toxicity Toxicity Quartz (14808-60-7) Х Quartz (14808-60-7) U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List 15.3. **Canadian Regulations** Quartz (14808-60-7) Listed on the Canadian DSL (Domestic Substances List) SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION **Date of Preparation or Latest Revision** : 03/12/2022 **Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17. **GHS Full Text Phrases:**

Carc. 1A	Carcinogenicity Category 1A
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H335	May cause respiratory irritation
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure

Indication of Changes

Section	Change	Date Changed	Version	
1	Modified responsible	03/12/2022	3.1	
	party information, logo			
	& emergency telephone			
	number			

Holcim US believes the information contained herein is accurate; however, Holcim US makes no guarantees with respect to such accuracy and assumes no liability in connection with the use of the information contained herein which is not intended to be and should not be construed as legal advice or as insuring compliance with any federal, state or local laws or regulations. Any party using this product should review all such laws, rules, or regulations prior to use, including but not limited to US and Canada Federal, Provincial and State regulations.

NO WARRANTY IS MADE, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHERWISE.

NA GHS SDS 2015 (Can, US)